






SHAPE



SHAPE

SCHEMA TECNICA

DIVANI



Struttura: in acciaio ad alta resistenza, verniciata a forno con polveri epossidiche di colore grigio bronzato. Piano letto ortopedico a doghe con cinghie elastiche nella seduta. Materasso in poliuretano espanso. Schienale, braccioli e fascia anteriore in legno e derivati, fissati alla struttura con baionette per facilitarne il trasporto e il montaggio. Alloggio porta guanciali nel vano schienali di serie.

Cuscino seduta: in poliuretano espanso ad alta densità ed elasticità sagomato con macchine a 3 assi con bombatura a quote differenziate. Rivestito con fibra in fiocco termolegante, testato secondo Oeko-Tex Standard 100 di forte spessore.

Cuscino schienale: in poliuretano espanso ad alta elasticità sagomato con macchine a 3 assi con bombatura a quote differenziate. Rivestito con fibra in fiocco termolegante, testato secondo Oeko-Tex Standard 100 di forte spessore.

Rivestimento: in tessuto completamente sfoderabile o in pelle naturale non sfoderabile. Cuscino Schienale e Cuscino Seduta sfoderabili in entrambe le versioni.

Piede: tubolare in acciaio cromato h 13 cm (codice A), in legno di pino verniciato h 13 cm (codice B), in plexiglass trasparente h 13 cm (codice C). In quest'ultimo caso verrà calcolato un sovrapprezzo. Specificare nell'ordine il tipo di piede.

Structure: in high resistance steel, oven painted with bronzed gray epoxy powders. Orthopedic slatted bed base with elastic straps in the seat. Polyurethane foam mattress. Backrest, armrests and front band in wood and derivatives, fixed to the structure with bayonets for easy transport and assembly. Pillowcase in the standard backrest compartment.

Seat cushion: in high density expanded polyurethane and shaped elasticity with 3-axis machines with differentiated camber. Coated with thermo-binding staple fiber, tested according to Oeko-Tex Standard 100 of strong thickness.

Back cushion: high-elasticity polyurethane foam, shaped with 3-axis machines with differentiated camber. Coated with thermo-binding staple fiber, tested according to Oeko-Tex Standard 100 of strong thickness.

Cover: in completely removable fabric or in non-removable natural leather. Back and Seat Cushion with removable covers in both versions.

Foot: chromed steel tubing h 13 cm (code A), in painted pine wood h 13 cm (code B), in transparent plexiglass h 13 cm (code C). In this last case a surcharge will be calculated. Specify the type of foot in the order.

