


VIVIEN




VIVIEN

scheda
tecnica


Divani





VIVTR206



VIVTR186



VIVTR166



VIVIEN scheda tecnica



Struttura: in acciaio ad alta resistenza, verniciata a forno con polveri epossidiche di colore grigio bronzato.

Piano letto ortopedico a doghe con cinghie elastiche nella seduta.

Materasso in poliuretano espanso.

Schienale, braccioli e fascia anteriore in legno e derivati, fissati alla struttura con baionette per facilitarne il trasporto e il montaggio.

Alloggio porta guanciali nel vano schienali di serie.

Cuscino Seduta: in poliuretano espanso ad alta densità ed elasticità sagomato con macchine a 3 assi con bombatura a quote differenziate. Rivestito con fibra in fiocco termolegante, testato secondo Oeko-Tex Standard 100 di forte spessore.

Cuscino Schienale: in poliuretano espanso ad alta elasticità sagomato con macchine a 3 assi con bombatura a quote differenziate. Rivestito con fibra in fiocco termolegante, testato secondo Oeko-Tex Standard 100 di forte spessore.

Rivestimento: in tessuto completamente sfoderabile o in pelle naturale non sfoderabile. Cuscino Schienale e Cuscino Seduta sfoderabili in entrambe le versioni.

Piede: tubolare in acciaio cromato h 13 cm (codice A), in legno di pino verniciato h 13 cm (codice B), in plexiglass trasparente h 13 cm (codice C).

Structure: in high resistance steel, oven painted with bronzed gray epoxy powders.

Orthopedic slatted bed base with elastic straps in the seat.

Mattress in expanded polyurethane.

Backrest, armrests and front band in wood and derivatives, fixed to the structure with bayonets to facilitate transport and assembly.

Pillow holder accommodation in the backrest compartment as standard.

Seat Cushion: in high density and elastic polyurethane foam shaped with 3-axis machines with cambering at different densities. Covered with extra thick thermo-binding staple fibre, tested according to Oeko-Tex Standard 100.

Backrest Cushion: in highly elastic polyurethane foam shaped with 3-axis machines with cambering at different densities. Covered with extra thick thermo-binding staple fibre, tested according to Oeko-Tex Standard 100.

Coating: in completely removable fabric or in non-removable natural leather. Back cushion and seat cushion with removable covers in both versions.

Foot: tubular in chromed steel h 13 cm (code A), in painted pine wood h 13 cm (code B), in transparent plexiglass h 13 cm (code C).

